Acta Physiol Scand 1995, **155**, 477–480

Author index

AARGARD, P. *see* MAGNUSSON, S.P.
ADAMS, M.A. *see* DOOL, J.S.
AHRÉN, B., STERN, J.S., GINGERICH, R.L., CURRY, D.L. & HAVEL, P.J. Glucagon secretory response to hypoglycaemia, adrenaline and carbachol in streptozotocin-diabetic rats, 215
ALM, P. *see* HEDLUND, P.
ALVING, K. *see* FRANCO-CERECEDA, A.
ALVING, K. *see* LUNDBERG, J.O.N.
AMARO, S. *see* MONDA, M.
ANDERSEN, O.K., GRACELY, R.H., & ARENDT-NIELSEN, L. Facilitation of the human nociceptive reflex by stimulation of Aβ-fibres in a secondary hyperalgesic area sustained by nociceptive input from the primary hyperalgesic area, 87
ANDERSSON, B. *see* ERIKSSON, S.
ANDERSSON, B., ERIKSSON, P.S., RUNDGREN, M. Angiotensin and the brain, 117
ANDERSSON, K.-E. *see* HEDLUND, P.
ARDIGO', L.P., LAFORTUNA, C., MINETTI, A.E., MOGNONI, P. & SAIBENE, F. Metabolic and mechanical aspects of foot landing type, forefoot and rearfoot strike, in human running, 17
ARENDT-NIELSEN, L. *see* ANDERSEN, O.K.

BERGSTRÖM, G. *see* RUDENSTAM, J.
BOLSTAD, G. *see* HE, D.
BRUBAKK, A. *see* HE, D.

CAREY, M.F. *see* FEBBRAIO, M.A.
CHANG, F.-Y., LEE, S.-D., YEH, G.-H. & WANG, P.-S. Hyperglycaemia is responsible for the inhibited gastrointestinal transit in the early diabetic rat, 457
CHANG, S.W. *see* TAKEOKA, M.
CHAZOV, E.I. *see* KUZMIN, A.I.
CLAEYS, M. *see* LIANG, F.
CLAUSEN, T. *see* KRISTENSEN, N.B.
COEN, E.P. *see* LIANG, F.
CURRY, D.L. *see* AHRÉN, B.

DE LUCA, B. *see* MONDA, M.
DE POTTER, W.P. *see* LIANG, F.
DILLEN, L. *see* LIANG, F.
DODT, C., GUNNARSON, T., ELAM, M., KARLSSON, T. & WALLIN, B.G. Central blood volume influences sympathetic sudomotor nerve in warm humans, 41
DOOL, J.S., MAK, A.S., FRIBERG, P., WAHLANDER, H., HAWRYLECHKO, A. & ADAMS, M.A. Regional myosin heavy chain expression in volume and pressure overload induced cardiac hypertrophy, 396

EDLUND, A. & SOLLEVI, A. Theophylline increases coronary vascular tone in humans. Evidence for a role of endogenous adenosine in flow regulation, 303
ELAM, M. *see* DODT, C.
ELBÆK, A. *see* ESPERSEN, G.T.
ELMÉR, E. *see* UCHINO, H.
ERIKSSON, S. *see* ANDERSSON, B.
ERIKSSON, S., ANDERSSON, B. & RUNDGREN, M. Influence of forebrain lesions and isoflurane anaesthesia, respectively, on responses to the intracarotid infusion of angiotensin II in sheep, 427
ERNST, E. *see* ESPERSEN, G.T.
ESPERSEN, G.T., STAMP, I., LIDANG JENSEN, M., ELBÆK, A., ERNST, E., KAHR, O. & GRUNNET, N. Lymphocyte redistribution in physical activity in the rat, 313

FEBBRAIO, M.A., FLANAGAN, T.R., SNOW, R.J., ZHAO, S. & CAREY, M.F. Effect of creatine supplementation on intramuscular TCr, metabolism and performance during intermittent, supramaximal exercise in humans, 387
FLANAGAN, T.R. *see* FEBBRAIO, M.A.
FRANCO-CERECEDA, A. *see* KÄLLNER, G.
FRANCO-CERECEDA, A., MATRAN, R., ALVING, K. & LUNDBERG, J.M. Sympathetic vascular control of the laryngeo-tracheal, bronchial and pulmonary circulation in the pig: evidence for non-adrenergic mechanisms involving neuropeptide Y, 193
FRIBERG, P. *see* DOOL, J.S.
FRIED, G. *see* LIU, Y.-A.
FROSTELL, C. *see* SCHEDIN, U.
FUGELLI, K., KANLI, H. & TERREROS, D.A. Taurine efflux is a cell volume regulatory process in proximal renal tubules from the teleost *Carassius auratus*, 223
FUJIMOTO, K. *see* TAKAHASHI, H.

GASA, S. *see* OHNO, H.
GINGERICH, R.L. *see* AHRÉN, B.
GÖTHBERG, G. *see* RUDENSTAM, J.
GÖTZ, K.-H. *see* SCHOLZ, H.
GRACELY, R. *see* ANDERSEN, O.K.
GRUND, F., SOMMERSCHILD, H.T., KIRKEBØEN, K.A. & ILEBEKK, A. Cardiovascular effects of the microsphere suspending agent, Tween 80, in pigs, 331
GRUNNET, N. *see* ESPERSEN, G.T.
GUNNARSON, T. *see* DODT, C.
GUSTAFSSON, L.E. *see* SCHEDIN, U.

HAKUMÄKI, M.O.K. *see* HEDMAN, A.E.
HAMANN, M. *see* SCHOLZ, H.
HAN, X., KARPAKKA, J., KAINULAINEN, H. & TAKALA,

© 1995 Scandinavian Physiological Society

T.E.S. Effects of streptozotocin-induced diabetes, physical training and their combination on collagen biosynthesis in rat skeletal muscle, 9
HANSELL, P. *see* MÖLLER, B.
HANSEN, O. *see* KRISTENSEN, N.B.
HANSSON, G.C. *see* MU, J.Y.
HARTIKAINEN, J.E.K. *see* HEDMAN, A.E.
HAVEL, P.J. *see* AHRÉN, B.
HAWRYLECHKO, A. *see* DOOL, J.S.
HE, D., BOLSTAD, G., BRUBAKK, A., & INGULF MEDBØ, J.I. Muscle fibre type and dimension in genetically obese and Zucker rats, 1
HEDLUND, P., LARSSON, B., ALM, P. & ANDERSSON, K.-E. Distribution and function of nitric oxide-containing nerves in canine corpus cavernosum and spongiosum, 445
HEDMAN, A.E., HARTIKAINEN, J.E.K., TAHVANAINEN, K.U.O. & HAKUMÄKI, M.O.K. The high-frequency component of heart rate variability reflects cardiac parasympathetic modulation rather than parasympathetic 'tone', 267
HEDMAN, A.E., TAHVANAINEN, K.U.O., HARTIKAINEN, J.E.K. & HAKUMÄKI, M.O.K. Effect of sympathetic modulation and sympatho-vagal interaction on heart rate variability in anaesthetized dogs, 205
HELLE, K.B. *see* LØNNING, K.
HELLSTRÖM, P.M. *see* LÖRDAL, M.
HEMLIN, N. Fluid flow across the jejeunal epithelia *in vivo* elicited by d-c current. Effects of mesenteric nerve stimulation, 77
HIGASHI, T. *see* TAKEOKA, M.
HÖGESTÄTT, E.D. *see* ZYGMUNT, P.M.
HOGUE-ANGELETTI, R. *see* LIANG, F.
HOLSTEIN-RATHLOU, N.-H. *see* KARLSEN, F.M.

ILEBEKK, A. *see* GRUND, F.
INAKI, M. *see* TAKAHASHI, H.
INGULF MEDBRØ, J. *see* HE, D.
ISHIZAKI, T. *see* TAKEOKA, M.
ITAI, Y. *see* TAKAHASHI, H.

JØRGENSEN, F. & KROESE, A.B.A. Ca selectivity of the transduction channels in the hair cells of the frog sacculus, 363
JUN, T., SAKINIS, A. & WENNMALM, Å. The insulin secretary response to intravenous glucose in the rat is independent of NO formation, 61

KAHR, O. *see* ESPERSEN, G.T.
KAINULAINEN, H. *see* HAN, X.
KÄLLNER, G. & FRANCO-CERECEDA, A. Attenuation of low pH-, but not capsaicin- or PGI_2 evoked CGRP-release by endothelium removal using saponin, 251
KANAMARU, Y. *see* OSADA, H.
KANLI, H. *see* FUGELLI, K.
KARLSEN, F.M., HOLSTEIN-RATHLOU, N.-H. & LEYSSAC, P.P. A re-evaluation of the determinants of glomerular filtration rate, 335
KARLSSON, T. *see* DODT, C.
KARLSTRÖM, G. *see* RUDENSTAM, J.
KARPAKKA, J. *see* HAN, X.
KASHIMURA, O., SAKAI, A. & YANAGIDAIRA, Y. Effects of exercise-training on hypoxia and angiotensin II-induced pulmonary vasoconstrictions, 291
KATSUTA, S. *see* TAKAHASHI, H.
KHADRA, M.H., SATCHELL, P.M. & VAUGHAN, C.W. Sympathetic nervous system effects on feline bladder wall compliance throughout continence, 31
KIRKEBØEN, K.A. *see* GRUND, F.
KIZAKI, T. *see* OHNO, H.
KJAER, M. *see* MAGNUSSON, S.P.
KLOKKER, M. *see* PEDERSEN, M.
KOYAMA, S. *see* SHIBAMOTO, T.
KRÄMER, B.K. *see* SCHOLZ, H.
KRISTENSEN, N.B., HANSEN, O. & CLAUSEN, T. Measurement of the total concentration of functional Na^+, K^+-pumps in rumen epithelium, 67
KROESE, A.B.A. *see* JØRGENSEN, F.
KURTZ, A. *see* SCHOLZ, H.
KUZMIN, A.I., POGORELOV, V.M., ZARETSKY, D.V., MEDVEDEV, O.S. & CHAZOV, E.I. Comparison of the effects of 2-deoxyglucose and immobilization on secretion and synthesis rate of catecholamines in the adrenal gland: a microdialysis study in conscious rats, 147

LAFORTUNA, C. *see* ARDIGO', L.P.
LARSSON, B. *see* HEDLUND, P.
LEE, S.-D. *see* CHANG, F.-Y.
LEYSSAC, P.P. *see* KARLSEN, F.M.
LIANG, F., DILLEN, L., ZHANG, X.Y., COEN, E.P., HOGUE-ANGELETTI, R., CLAEYS, M. & DE POTTER, W.P. Vasostatins, N-terminal products of chromogranin A, are released from the stimulated calf spleen *in vitro*, 23
LIDANG JENSEN, M. *see* ESPERSEN, G.T.
LIU, Y.-A., ÖSTLUND, E. & FRIED, G. Endothelin-induced contractions in human placental blood vessels are enhanced in intrauterine growth retardation, and modulated by agents that regulate levels of intracellular calcium, 405
LØNNING, K. & HELLE, K.B. The bovine central adrenomedullary vein: a target for endothelins, 415
LÖRDAL, M. & HELLSTRÖM, P.M. 5-Hydroxytryptamine: initiator of phase 3 of migrating motor complex, 241
LUNDBERG, J.M. *see* FRANCO-CERECEDA, A.
LUNDBERG, J.M. *see* LUNDBERG, J.O.N.
LUNDBERG, J.M. *see* MALMSTRÖM, R.
LUNDBERG, J.O.N., LUNDBERG, J.M., ALVING, K. & WEITZBERG, E. Nitric oxide, produced in the upper airways, may act in an 'aerocrine' fashion to enhance pulmonary oxygen uptake in humans, 467
LUNDGREN, O. *see* MU, J.Y.
LUNDVALL, O. *see* UCHINO, H.

MACKENZIE, I.L. *see* MAW, G.J.
MADSEN, P. *see* PEDERSEN, M.
MAGNUSSON, S.P., SIMONSEN, B., AAGARD, P., MORITZ, U. & KJAER, M. Contraction specific changes in passive torque in human skeletal muscle, 377
MAK, A.S. *see* DOOL, J.S.
MALMSTRÖM, R. & LUNDBERG, J.M. Endogenous NPY acting on the Y_1 receptor accounts for the long-lasting part of the sympathetic contraction in guinea-pig vena cava: evidence using SR 120107A, 329
MARSDEN, C.A. *see* WILSON, W.M.
MARUYAMA, S. *see* OSADA, H.
MÅRVIK, R., SANDVIK, A.K. & WALDUM, H.L. Bioassay of gastrin using the isolated vascularly perfused rat stomach. A new, simplified and sensitive method, 323
MATRAN, R. *see* FRANCO-CERECEDA, A.
MATSUMOTO, S. & SHIMIZU, T. Flecainide blocks the stimulatory effect of veratridine on slowly adapting pulmonary stretch receptors in anaesthetized rabbits without changing lung mechanics, 297
MAW, G.J., MACKENZIE, I.L. & TAYLOR, N.A.S. REDISTRIBUTION OF BODY FLUIDS DURING POSTURAL MANIPULATIONS, 157
MEDBØ, J.I. *see* HE, D.
MEDVEDEV, O.S. *see* KUZMIN, A.I.
MIMURA, Y. Phosphate excretion during 24 h of hypoxia in conscious rats, 283
MINETTI, A.E. *see* ARDIGO', L.P.
MOGNONI, P. *see* ARDIGO', L.P.
MÖLLER, B. & HANSELL, P. Sodium and dopamine excretion in prehypertensive Dahl rats during severe hypervolaemia, 165
MONDA, M., AMARO, S. & DE LUCA, B. Septal lesions block sympathetic activation following frontal cortex stimulation in the rat, 275
MORITZ, U. *see* MAGNUSSON, S.P.
MU, J.Y., HANSSON, G.C. & LUNDGREN, O. The intestinal tract and the pathophysiology of arterial hypertension: an experimental study on Dahl rats, 137

NAKAO, S. *see* SHIRAISHI, Y.
NIELSEN, R. Correlation between chloride flux via the mitochondria-rich cells and transepithelial water movement in isolated frog skin (*Rana esculenta*), 351
NIITSU, M. *see* TAKAHASHI, H.

OHISHI, S. *see* OHNO, H.
OHNO, H., KIZAKI, T., OHISHI, S., YAMASHITA, H., TANAKA, J. & GASA, S. Effects of swimming training on the lysosomal enzyme system in brown adipose tissue of rats: an analogy between swimming exercise and cold acclimation, 333
OLESEN, H.L. *see* PEDERSEN, M.
OSADA, H., KANAMARU, Y. & MARUYAMA, S. Retinal haemorrhage during sustained hypobaric hypoxia in rats, 463
ÖSTLUND, E. *see* LIU, Y.-A.

PEDERSEN, M., MADSEN, P., KLOKKER, M., OLESEN, H.L. & SECHER, N.H. Sympathetic influence on cardiovascular responses to sustained head-up tilt in humans, 435
POGORELOV, V.M. *see* KUZMIN, A.I.

RUDENSTAM, J., BERGSTRÖM, G., GÖTHBERG, G. & KARLSTRÖM, G. Efferent renal nerve stimulation inhibits the antihypertensive function of the rat renal medulla when studied in a cross-circulation model, 183
RUNDGREN, M. *see* ANDERSSON, B.
RUNDGREN, M. *see* ERIKSSON, S.
RYMAN, T. *see* ZYGMUNT, P.M.

SAIBENE, F. *see* ARDIGO', L.P.
SAKAI, A. *see* KASHIMURA, O.
SAKAI, A. *see* TAKEOKA, M.
SAKINIS, A. *see* JUN, T.
SANDVIK, A.K. *see* MÅRVIK, R.
SATCHELL, P.M. *see* KHADRA, M.H.
SAVOLAINEN, J. & VORNANEN, M. Myosin heavy chains in skeletal muscles of the common shrew (*Sorex araneus*): absence of a slow isoform and transitions of fast isoforms with ageing, 233
SCHEDIN, U., FROSTELL, C. & GUSTAFSSON, L.E. Nitric oxide occurs in high concentrations in monkey airways, 473
SCHOLZ, H., KRÄMER, B.K., HAMANN, M., GÖTZ, K.-H. & KURTZ, A. Effects of endothelins on renin secretion from rat kidneys, 173
SECHER, N.H. *see* PEDERSEN, M.
SEISJÖ, B.K. *see* UCHINO, H.
SHIBAMOTO, T., WANG, H.-G., TANAKA, S. & KOYAMA, S. No effects of large doses of catecholamines on vascular permeability in isolated blood-perfused dog lungs, 127
SHIGEMORI, K. *see* TAKEOKA, M.
SHIMIZU, T. *see* MATSUMOTO, S.
SHIRAISHI, Y. & NAKAO, S. Erratum: Differential locations in the midbrain of distinct groups of vertical eye movement-related neurones in cat: their projections and direct connections with occulomotor neurones, 111
SIMONSEN, B. *see* MAGNUSSON, S.P.
SKUJINS, A. & THORN, N.A. The NO synthase inhibitor L-NMA depresses neurohypophysial vasopressin but not its precursor amidating enzymes in salt-loaded rats, 243
SNOW, R.J. *see* FEBBRAIO, M.A.
SOLLEVI, A. *see* EDLUND, A.
SOMMERSCHILD, H.T. *see* GRUND, F.
STAMP, I. *see* ESPERSEN, G.T.
STERN, J.S. *see* AHRÉN, B.

TAHVANAINEN, K.U.O. *see* HEDMAN, A.E.
TAKAHASHI, H., INAKI, M., FUJIMOTO, K., TOMOSHIGE, S., KATSUTA, S., NIITSU, M. & ITAI, Y. Index of the oxidative potential in human quadriceps muscle: simultaneous measurements of [^{31}P]NMR and oxygen consumption during exercise, 109
TAKALA, T.E.S. *see* HAN, X.
TAKEOKA, M., ISHIZAKI, T., SAKAI, A., CHANG, S.W., SHIGEMORI, K., HIGASHI, T. & UEDA, G. Effect of BQ123 on vasoconstriction as a result of earlier hypoxia or endothelin-1 in perfused rat lungs, 53
TANAKA, J. *see* OHNO, H.
TANAKA, S. *see* SHIBAMOTO, T.
TAYLOR, N.A.S. *see* MAW, G.J.
TENSTAD, O. & WILLIAMSON, H.E. Effect of furosemide on local and zonal glomerular filtration rate in the rat kidney, 99
TERREROS, D.A. *see* FUGELLI, K.
THORLACIUS, H. & XIE, X. Histamine promotes leucocyte recruitment by prolonging chemoattractant-induced leucocyte adhesion in the rat mesentery, 475
THORN, N.A. *see* SKUJINS, A.
TOMOSHIGE, S. *see* TAKAHASHI, H.

UCHINO, H., ELMÉR, E., UCHINO, K., LUNDVALL, O. & SEISJÖ, B.K. Cyclosporin A dramatically ameliorates CA1 hippocampal damage following transient forebrain ischaemia in the rat, 469
UCHINO, K. *see* UCHINO, H.
UEDA, G. *see* TAKEOKA, M.

VORNANEN, M. *see* SAVOLAINEN, J.
VAUGHAN, C.W. *see* KHADRA, M.H.

WAHLANDER, H. *see* DOOL, J.S.
WALDUM, H.L. *see* MÅRVIK, R.
WALLIN, B.G. *see* DODT, C.
WANG, H.-G. *see* SHIBAMOTO, T.
WANG, P.-S. *see* CHANG, F.-Y.
WEITZBERG, E. *see* LUNDBERG, J.O.N.
WENNMALM, Å. *see* JUN, T.
WILLIAMSON, H.E. *see* TENSTAD, O.
WILSON, W.M. & MARSDEN, C.A. Extracellular dopamine in the nucleus accumbens of the rat during treadmill running, 465

XIE, X. *see* THORLACIUS, H.

YAMASHITA, H. *see* OHNO, H.
YANAGIDAIRA, Y. *see* KASHIMURA, O.
YEH, G.-H. *see* CHANG, F.-Y.

ZARETSKY, D.V. *see* KUZMIN, A.I.
ZHANG, X.Y. *see* LIANG, F.
ZHAO, S. *see* FEBBRAIO, M.A.
ZYGMUNT, P.M., RYMAN, T. & HÖGESTÄTT, E.D. Regional differences in endothelium-dependent relaxation in the rat: contribution of nitric oxide and nitric oxide-independent mechanisms, 257

Acta Physiol Scand 1995, **155**, 481–483

Subject index

Absorption, 67
Adenine nucleotides, 387
Adenosine, 303
Adrenal gland, 147
Adrenal medulla, 415
Adrenaline, 127, 215
Adverse effects, 331
Ageing, 233
Amidating processing enzyme, 243
Anaesthetized dogs, 267
Anaesthetized rats, 61
Angiotensin II, 117, 335, 427
Antidiuretic hormone, 351
Aortocaval fistula, 396
ARDS, 467
Arginine-vasopressin, 243
Arterial hypertension, 137
Arteries, 257
Atropine, 297
Autonomic nervous system, 205, 267
Autoregulation, 335

Bezold-Jarisch reflex, 435
Bioassay, 323
Bladder, 31
β-blockade, 435
Blood glucose, 61
Blood pressure, 117
Blood volume, 157
Body fluid distribution, 157
Bovine splenic nerve, 23
Bradycardia, 435
Brain, 117, 469
Brown adipose tissue, 275, 333

Caffeine, 405
Calcium channels, 405
Calcium ions, 173
Capillary filtration coefficient, 127
Capsaicin, 87, 251
Carassius auratus, 223
Cardiac oxygen extraction, 303
Cardiopulmonary receptors, 41
Cardiovascular reflexes, 435
Cat, 31, 111
Catecholamine secretion, 147
Catecholamine synthesis rate, 147
Cattle, 67
CCD, 463
Central vein, 415
Central venous oxygen saturation, 435
CGRP, 251
Chemiluminescence, 473
Chemoattractants, 475
Chloride transport, 351
Cholinergic, 215
Chromogranin A, 23
Circumventricular organs, 117
Cold acclimation, 333
Collogen, 9
Common shrew, 233
Concentric, 377
Confocal microscopy, 445
Continence, 31
Coronary flow, 303
Cortisol, 117
Creatine supplementation, 387
Cross-circulation, 183
Cyclic AMP excretion, 283
Cyclosporin, 469

Dahl, 165
Diabetes, 9, 215
Diabetes mellitus, 457
Distal hydraulic resistance, 335
Dog, 445
Dopamine, 165, 465
Dynamic lung compliance, 297

Eccentric, 377
Electro-osmosis, 77, 351
Electrolyte balance, 137
Electromyography, 377
Endogenous, 473
Endothelin, 405
Endothelin receptors, 173
Endothelins, 415
Endothelium, 251
Epithelial permeability, 77
Erectile tissues, 445
Exercise, 9, 313
Exhaled air, 467

Fa/fa rats, 1
Fast twitch fibes, 1
Flecainide, 297
Fluid transport, 77
Foot contact time, 17
Foot strike type, 17
Forebrain lesions, 427
Forel's field H, 111
Frog sacculus, 363
Frog skin, 351
Frontal cortex, 275
Function, 415

© 1995 Scandinavian Physiological Society

Galactosylhydroxlsyl glucosyltransferase, 9
Ganglion blockade, 31
Gastrin, 323
Gastrointestinal motility, 241, 457
Gastrointestinal transit, 457
GFR, 335
Glucagon secretion, 215
Glucose infusion, 61
Gluteus medius, 1
Guinea-pig vena cava, 329

Haemodynamics, 147
Hair cell, 363
Heart rate, 117
Heart rate variability, 205, 267
High K^+, 415
Histamine, 323, 475
Histochemistry, 1
Human, 109, 241, 303
Hyperalgesia, 87
Hyperpolarization, 257
Hypertension, 165, 427
Hypertrophy, 396
Hypervolaemia, 165
Hypobaric hypoxia, 463
Hypoglycaemia, 215
Hypotension, 435
Hypoxia, 283, 291, 303

Immune system, 313
Immunoblotting, 233
Immunohistochemistry, 445
Inflamation, 475
Inhaled nitric oxide, 467
Insulin, 457
Insulin secretion, 61
Intercalated cells, 351
Intracarotid, 427
Ionic selectivity, 363
Ischaemia, 469
Isoflurane anaesthesia, 427
Isoform transition, 233

Jejunum, 77
Juxtaglomerular cells, 173

K^+ & Na^+ flux, 67
Kidney proximal tubules, 99

L-Nitro-arginine, 243
L-NNA, 243
Leg exercise, 303
Leucocyte adhesion, 475
Local glomerular filtration rate, 99
Local osmosis, 351
Loop diuretic, 99
Low pH, 251
Lung weight, 53
Lymphocyte redistribution, 313
Lysosomal enzyme system, 333

Magnetic resonance spectroscopy, 109
Mechanical work, 17
Mechano-electrical transduction channels, 363
Medial mesodiensephalic junction, 111
Medium-lead burst neurone, 111
Medullipin, 183
Membrane potential, 257
Microcirculation, 475
Microdialysis, 147, 465
Microspheres, 99, 331
Mitochondria, 469
Mitochondria-rich cells, 351
Morphology, 415
Muscle fibre cross section area, 1
Muscle metabolism, 387
Myocardial blood flow, 331
Myosin heavy chain, 396
Myosin heavy chains, 233

N-terminal chromogranin fragments, 23
Na^+,K^+-ATPase, 67
Natriuresis, 137, 165
Nephron, 223
Neurogenic pulmonary oedema, 127
Neurohypophysis, 243
Neuronal necrosis, 469
Neuropeptide Y, 193, 329, 415
Nifedipine, 405
Nitric oxide, 45, 61, 257, 445, 473
Nitric oxide synthase, 445
NO synthase inhibitor, 243
Nociception, 87
Noradrenaline, 127, 193
Nose, 473
Nucleus accumbens, 465

Obesity, 1
Oculomotor nucleus, 111
Ophthalmovascular photography, 463
[^{3}H]ouabain binding, 67
Oxygen consumption, 109
Oxygen uptake, 17

Paranasal sinuses, 467
Parasympathetic modulation, 267
Parathyroid hormone, 283
Passive torque, 377
PGI_2, 251
Phosphate excretion, 283
Physiological filling, 31
Placenta, 405
Plasma volume, 157
Posture, 157

Pressure, 31
Prolyl 4-hydroxylase, 9
Proximal reabsorption, 335
Proximal tubular pressure, 335
Pulmonary arterial pressure, 291
Pulmonary arterial resistance, 53
Pulmonary capillary pressure, 291
Pulmonary circulation, 193
Pulmonary gas exchange, 467
Pulmonary hypertension, 467
Pulmonary microvascular pressure, 53
Pulmonary venous resistance, 53

Quadriceps muscle, 109

Rabbit, 297
Rat, 183, 215, 313
RBF, 335
Rectus abdominis, 1
Reflex, 87
Regualtion, 335
Regulatory volume decrease, 223
Relaxation, 445
Release, 23
Renal artery pressure, 173
Renal blood flow, 183
Renal function, 183
Renal glomerulus, 99
Renal medualla, 183
Renal nerves, 183
Renal vascular pressure, 173
Renal vascular resistance, 99
Renin, 335
Renovascular hypertension, 396
Reserpine, 193
Respiratory system, 473
Retinal haemorrhage, 463
[$^{86}Rb^{+}$], 67
Running, 17
Ryanodine, 405

Salt loading, 243
Salt-sensitive, 165
Saponin, 251
SDS-PAGE, 233
Septal nuclei, 275
Serotonin, 241
Sheep, 67, 427
Skeletal muscle, 9, 233
Skin sympathetic nerve activity, 41
Slow-twitch fibres, 1
Slowly adapting pulmonary stretch receptor, 297
Sodium, 165 *see also* Na^{+}, K^{+}-ATPase
Sodium balance, 117
Sodium chloride 137 *see also* salt sensitive
Spectral analysis, 267
Stress, 147
Summation, 87
Sweating, 41
Swimming training, 333
Swine, 331
Sympathetic activity, 275
Sympathetic modulation, 205
Sympathetic nerves, 77
Sympathetic nervous system, 31, 183
Sympathetic stimulation, 193
Sympathetic vasoconstriction, 329
Sympatho-vagal interaction, 205

Tachycardia, 427, 435
Taurine, 223
Tension, 31
Thapsigargin, 405
Theophylline, 303
Thirst, 117, 427
Total body water, 157
Total lung resistance, 297
Tracheo-bronchial circulation, 193
Treadmill running, 465
Tubuloglomerular feedback, 99

Urea, 223

Vascular endothelium, 257
Vascular smooth muscle, 405, 415
Vasoactive, 23
Vasoactive intestinal polypeptide, 445
Vasopressin, 117
Vasostatins, 23
Vastus lateralis, 1
Veratridine, 297
Vertical saccade, 111
Viscoelastic, 377

Y_1 receptor antagonist, 329

Zonal renal blood flow, 99